Health Effect Category	Good	Moderate	Unhealthy for sensitive groups*	Unhealthy	Very Unhealthy/ Hazardous
Visibility (miles) NowCast Concentration (μg/m³)	13+ ≤ 12	9-13 12 - 35	5-9 35 - 55	2-5 55 - 150	Less than 2 150 +
Physical Education Class (1 hour)	No limitations	Monitor sensitive groups and limit their vigorous activities.	Keep students with chronic lung or heart conditions indoors. Limit these students to light activities. Make indoor space available for all students to be active, especially young children. If outdoors, limit students to light or moderate activities.	Conduct P.E. classes in an indoor environment with good air quality and limit students to light or moderate activities.	Conduct P.E. classes in an indoor environment with good air quality and limit students to light activities.
Athletic Events and Practices (2-4 hours)	No limitations	Monitor sensitive groups and limit their vigorous activities.	based on the severity of their condition and sensitivity to smoke.	Reschedule events or relocate to an area with good air quality. Conduct practices in an indoor environment with good air quality and limit students to light activities.	Reschedule/cancel events. Conduct practices in an indoor environment with good air quality and limit students to light activities.

Examples of Activities

Light Activities: Walking, stretching, playing board/card games, dancing slowly.

Moderate Activities: Yoga, gymnastics, shooting basketballs, skateboarding, weight training, hiking, biking.

Vigorous Activities: Running/jogging, basketball, football, soccer, swimming, cheerleading, and wheeling your wheelchair.

*Please note that the intensity of an activity can vary by person and ability.

*For the purpose of this document, sensitive groups include:

- Children (ages 0-17 years). Children may be more sensitive to air pollution as their lungs are still developing and they may have an unknown underlying health condition.
- People with chronic conditions. People with chronic conditions, such as asthma or another respiratory disease, or cardiovascular disease, may be more sensitive to air pollution and should talk with their healthcare provider about managing their condition. People with chronic conditions should be medically managing their condition during air quality that is unhealthy for sensitive groups or worse. Students with asthma should be following their Asthma Action Plan in all conditions.
- **Pregnant women**. During pregnancy, changes to a woman's body may increase vulnerability to environmental exposures. Additionally, during critical windows of human development, a mother's prolonged exposure to wildfire smoke may harm the developing fetus.
- Older adults. Older adults are at increased risk of health effects from short-term exposures to wildfire smoke because of their higher prevalence of pre-existing lung and heart diseases.



office of Public Instruction Unimediate Structure Superintendent

December 2020

How To Use This Table And The Today's Air Website

- Start early. Well before your event, start monitoring the air quality by visiting the www.todaysair.mt.gov website.
 - Review the forecast on the today's air website: <u>http://svc.mt.gov/deq/todaysair/smokereport/mostRecentUpdate.aspx</u>.
 - Review the NowCast concentration measurements for your area. If your area is not near an air monitor, follow directions below for using the visibility guidelines.
 - Make adjustments to your plans depending on the forecast and the health effect category.
- Continue to monitor the air quality and the forecast in your area.
 - Be sure to leave adequate time for decisions to be made before teams/participants begin travel.
 - Air quality can change rapidly. Regularly review the concentration levels before and throughout lengthy events to assess for deteriorating conditions.

How to estimate air quality based on visibility:

- 1. Use pre-determined landmarks that were established on a clear day for distances (face away from the sun).
- 2. Determine the limit of your visible range by looking for targets at known distances (miles).
- 4. Use the visibility values in the table to determine the local wildfire smoke category.

Items to Consider when Planning for Poor Air Quality during the School Year

- Is there an outdoor air quality section in the school's Emergency Plan? If so, do you know where it is located?
- Which air quality monitor do you use or what geographic spot do you use for visibility guidelines?
- Who makes the recommendations to hold or cancel an outdoor event?
- How do you reschedule? Are there any rules about rescheduling? How do you communicate what the decision was based on?
- How do you get information out about your decision? If participants are already traveling, how do you notify them?
- What do you do for recess on school days?
- What are the plans if poor air quality affects the school/playground/track/gymnasium for a long period of time?
- How do you document what happened? What went well? What can be done better?

Protection from Particulate Matter

Wildfires, wood burning, and air stagnation increase the fine particulate matter (PM 2.5/PM10) in the air we breathe. Fine particulate matter travels easily indoors, especially through doors, windows, and small openings. Over time, concentrations of fine particulate matter indoors can approach the level of concentration outdoors. School buildings with enhanced filtration will have improved indoor air quality. Schools should use MERV 13 rated filters in their HVAC systems if the system is capable. Supplemental use of properly sized HEPA air purifiers have also been shown to improve indoor air quality by reducing particulate matter and chemicals in smoke.

Cloth face coverings and dust masks offer little protection against harmful air pollutants in wildfire smoke because these coverings do not capture most small particles in smoke. Anyone experiencing symptoms such as wheezing, shortness of breath, chest pain, headache, and dizziness should be seen by a medical provider.

Visit dphhs.mt.gov/airquality for more information on particulate matter and how to protect your health during poor air quality conditions.

4,500 copies of this public document were published at an estimated cost of \$0.19 per copy, for a total cost of \$855.00, which includes \$855.00 for printing and \$0.00 for distribution. This publication was supported by the Cooperative Agreement Number CDC-RFA-EH14-1404 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.



PHHS complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-406-444-1386 (TTY: 1-800-833-8503).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-406-444-1386 (TTY: 1-800-833-8503).